

**IMPACT OF CLIMATE CHANGE IN RURAL
AGRICULTURE: A Case Study of Bigutar Village,
Okhaldhunga, Nepal**

Submitted By:

RISHIKESH NEUPANE

Roll No: 281542/069

TU, Regd. 5-2-37-673-2007

A thesis Submitted in Partial Fulfillment of the Requirements for the
Award of the Degree of Master of Arts in Rural Development

Central Department of Rural Development

University Campus, Kirtipur

Faculty of Humanities & Social Sciences

Tribhuvan University

Kathmandu, Nepal

March 2017

DECLARATION

I hereby declare that the thesis entitled **IMPACT OF CLIMATE CHANGE IN RURAL AGRICULTURE**: A case Study of Bigutar Village, Okhaldhunga, Nepal submitted to the Central Department of Rural Development, Tribhuvan University, is entirely my original work prepared under the guidance and supervision of Prof. Prem Sharma (PhD), my supervisor. I have made due acknowledgements to all ideas and information borrowed from different sources in the course of preparing this thesis. The results of this thesis have not been presented or submitted anywhere else for the award of any degree or any other purposes. I assure that no part of the content of this thesis has been published in any form before.

.....
Rishikesh Neupane

Date: March 20, 2017

TU Reg. No. 5-2-37-673-2007

LETTER OF RECOMMENDATION

This is to certify that the thesis submitted by **Rishikesh Neupane** entitled **IMPACT OF CLIMATE CHANGE IN RURAL AGRICULTURE: A case Study of Bigutar Village, Okhaldhunga, Nepal** has been prepared under my supervision and guidance as a partial fulfillment of the requirements for the Degree of Master of Arts (MA) in Rural Development. Therefore, this is recommended for the final evaluation and approval.

.....

Prof. Prem Sharma (PhD)

Supervisor

Date: March 20, 2017

APPROVAL SHEET

We certify that this thesis entitled **IMPACT OF CLIMATE CHANGE IN RURAL AGRICULTURE**: A case Study of Bigutar Village, Okhaldhunga, Nepal submitted by **Rishikesh Neupane** has been examined and found satisfactory in quality and accepted in partial fulfillment of the requirements for the Degree of Master of Arts (MA) in Rural Development.

Evaluation Committee

.....

Prof. Prem Sharma (PhD)

Supervisor and Head of Department

.....

Prof. Dr. Neelam Kumar Sharma

Tribhuvan University

(External Examiner)

Date: March 28, 2017

ACKNOWLEDGEMENTS

I would like to express my great appreciation to my research supervisor Prof. Prem Sharma (PhD), Head of Department, Central Department of Rural Development, Tribhuvan University, for his guidance and useful critiques of this research work. His help and advice during the entire study is gratefully acknowledged.

I am also thankful to all the faculty members of Central Department of Rural development, Tribhuvan University, for their support, guidance and encouragement throughout the study period. I would like to thank all the administrative staff of the department for their support during my study period.

I am grateful to my friend, Anikta Ghimire, for giving me advice and helping me at the time of research work. I am very grateful and want to thank my friend Mr. Pratap Adhikari, Nepal Telecom, Okhaldhunga, for helping me to take field data at the time of field survey. I want to thank all the classmates of the department for their help at the time of study and exam periods. I want to thank all the respondent of this research for providing essential information which are the major part of my research.

Finally, my sincere gratitude goes to my beloved parents and all my family members and cousins Pratistha Pandey, Chandra Prava Pandey and Sunita Pandey for their continuous support which enabled me to complete my study.

Rishikesh Neupane

March 2017

ABSTRACT

Nepal is agriculture country and most of its economy is based on agriculture. Climate change is one of the major issue in agriculture. The change in the climatic parameters greatly affects the agricultural production. The climate change has changed the livelihood of people and especially the rural people who primarily depend on agriculture. This research aims to explore the knowledge of climate change of the people of Bigutar village, Okhaldhunga, Nepal and the effects of climate change in agriculture in recent decade. It also aims to explore the knowledge of climate change adaptation techniques in agriculture and the local use of techniques and the benefits they get from the adaptations techniques.

This research is based on exploratory as well as descriptive research design. The study tried to explore and tried to cover all the aspects of the climate change in agriculture and the results of adaptations techniques. The research describes the profile of the respondents like age group, caste and their knowledge on climate change. Altogether, 50 respondents were selected in such a way that all of them are farmers and permanent residence of Bigutar village since their birth.

This study used both primary and secondary data for the analysis. The primary data were collected from the field and the primary data includes the knowledge of farmers towards climate change, their perceptions towards the climate change, effect of climate change in agriculture including for individual crops, climate change adaptations techniques used by farmers and the results of the techniques. The secondary data are location description, climate data (rainfall and temperature), the census data for total populations and different caste and the data of agriculture production of the district.

Finally, the study recommends for training to the farmer on the different farming system based in adaptations techniques and concludes with a suggestion for introducing commercial farming in the community. Also, government needs to give attention on adaptation measures to climate change. The farmers are found to be following indigenous agriculture system with some modern agriculture methods.

TABLE OF CONTENTS

DECLARATION	i
LETTER OF RECOMMENDATION	ii
APPROVAL SHEET	iii
ACKNOWLEDGEMENTS	iv
ABSTRACT	v
TABLE OF CONTENTS	vi
LISTS OF FIGURES	ix
LISTS OF TABLES	x
LISTS OF ACRONYMS/ABBREVIATIONS	xi
CHAPTER ONE	1
INTRODUCTION	1
1.1 Background of the Study	1
1.2 Statement of the Problem.....	2
1.3 Research Questions	3
1.4 Objective of the Study	4
1.4 Rationale of the Study.....	4
1.5 Limitations of the Study.....	5
CHAPTER TWO	6
LITERATURE REVIEW	6
2.1 Climate Change.....	6
2.2 Impact of Climate Change in Agriculture.....	9
2.3 Adaptation Measures to Climate Change	11
CHAPTER THREE	14
RESEARCH METHODOLOGY	14
3.1 Research Design.....	14
3.2 Rationale of the Selection of the Study Area.....	14
3.3 Nature and Sources of Data	15
3.4 Sampling Procedure	15
3.5 Data Collection Techniques and Tools	15
3.5.1 Household Survey	15
3.5.2 Key Informant Interview.....	16

3.6 Method of Data Analysis	16
3.7 Limitation of the Study	16
Chapter IV	17
Data Presentation and Data Analysis.....	17
4.1 Profile of respondent.....	17
4.1.1 Origin of the respondent	17
4.1.2 Age group.....	17
4.1.3 Caste/ Ethnic Composition	18
4.2 Farming System in Practice	19
4.3. Farmer’s Knowledge on Climate Change.....	19
4.3.1 Perception towards climate change.....	19
4.3.2 Perception towards rainfall	20
4.3.3 Perception towards Temperature Change	22
4.3.4 Perception towards the change of other climatic pattern	24
4.3.5 Impact of Climate change in agriculture production	25
4.3.6 Change in Agriculture Production by Duration Wise.....	27
4.4 Adaptation Measures Taken in Agriculture	29
4.4.1 Change of Irrigation Pattern.....	31
4.4.2 Use of Artificial Fertilizer.....	31
4.4.3 Use of Insecticides and Pesticides	32
4.4.4 Protection of Crops from Natural Disasters.....	33
4.4.5 Use of Improved/New Seeds	33
4.4.6 Change in Cropping Pattern.....	34
4.4.7 Consulting Agriculture Experts	35
4.4.8 Practice of Food Storage	35
4.4.9 Different Supporting Organizations.....	36
CHAPTER V	37
FINDINGS, CONCLUSIONS AND RECOMMENDATIONS	37
5.1 Findings of the research	37
5.1.1 Profile of Respondent	37
5.1.2 Farmers Knowledge on Climate Change	37
5.1.3 Impact of Climate in Agriculture Production	38
5.1.4 Adaptation Measures Taken in Agriculture	38

5.2 Conclusions.....	39
5.3 Recommendations.....	40
REFERENCES.....	41
ANNEX A	a
QUESTIONNAIRE.....	a
ANNEX B.....	i
PHOTOGRAPHS	i

LISTS OF FIGURES

Figures.....	Page
Fig 4. 1 Caste composition of the respondent.....	18
Fig 4. 2: Annual rainfall of Okhaldhunga (1971-2015).....	21
Fig 4. 3: Annual average temperature of Okhaldhunga (197-2015).....	23
Fig 4. 4: Effect of climate change in agriculture	25
Fig 4. 5: Impact of climate change in different crops	26
Fig 4. 6: Effect of climate change in production	26
Fig 4. 7: Crops production in Okhaldhunga district	28
Fig 4. 8: Knowledge of adaptation techniques in farmers	29
Fig 4. 9: Use of adaptation techniques for different crops	30
Fig 4. 10: Farmer's use of artificial fertilizers.....	32
Fig 4. 11; Farmer's use of insecticides/pesticides	32
Fig 4. 12: Food storing practice	35

LISTS OF TABLES

Table	Page
Table 4. 1 Age Group of the Respondent	17
Table 4. 2: Farming System in Practice	19
Table 4. 3: Farmers perception on their knowledge in climate change	20
Table 4. 4: Farmer's perception of climate change	20
Table 4. 5: People's perception towards rainfall in Bigutar, Okhaldhunga	21
Table 4. 6: Monsoon onset and withdrawal date in Nepal	22
Table 4. 7: Farmer's perception on temperature	23
Table 4. 8: Farmer's perceptions on change in different climatic parameters ...	24
Table 4. 9: Duration-wise change in production of different crops.....	27
Table 4. 10: Overall production of different crops in Okhaldhunga	28
Table 4. 11: Farmers using different adaptation techniques	30
Table 4. 12: Irrigation practices of Bigutar village.....	31
Table 4. 13: Protection of crops from natural disasters	33
Table 4. 14: Use of improved seeds for different crops	34
Table 4. 15: Change in cropping pattern.....	34
Table 4. 16: Consulting agriculture experts.....	35

LISTS OF ACRONYMS/ABBREVIATIONS

AGDP	Gross Development Product
APP	Agriculture Perspective Plan
CBS	Central Bureau of Statistics
DADO	District Agriculture Development Office
DHM	Department of Hydrology and Meteorology
GDP	Gross Domestic Product
GoN	Government of Nepal
HVAC	High Value Agricultural Commodities
HM	High Mountain
HMM	High and Middle Mountain
IFPRI	International Food Policy Research Institute
IPCC	Intergovernmental Panel on Climate Change
MoAC	Ministry of Agriculture and Cooperatives
MoE	Ministry of Environment
NPC	National Planning Commission
TS	Terai and Siwalik
UNEP	United Nations Environment Programme
WMO	World Meteorological Organization

CHAPTER ONE

INTRODUCTION

1.1 Background of the Study

Nepal is land-locked country in Northern Hemisphere with sharp topographical variation between 26°22' and 30°27' North latitudes and 80°40' and 88°12' East longitudes. It has average length of about 885km along east-west direction and average breadth of 193km along north-south direction and area of 147,181 square kilometers.

Nepal is an agriculture-based country where more than 65% of the population engages in agriculture for livelihood and agriculture shares about 33% of its GDP at current price and 35% at 2000/01 constant price (MOAC, 2010). Weather variability comprising of intermittent drought, submergence, flood, intensive, hot and cold waves and irregular pattern of precipitation are considered as major parameters of changing climate having by and large adverse impacts in various aspects of agricultural system, its productivity and food security in different agro-ecological zones of the country (Pokhrel & Pandey, 2011). In the late 1980s, it was the livelihood for more than 90 percent of the population, although only approximately 20 percent of the total land area was cultivable, it accounted for, on average, about 60 percent of the GDP and approximately 75 percent of exports. Since the formulation of the Fifth Five-Year Plan (1975–80), agriculture has been the highest priority because economic growth was dependent on both increasing the productivity of existing crops and diversifying the agricultural base for use as industrial inputs (Savada, 1991).

Nepal is divided in five major physiographic zones. They are Terai, Silwalik, Hilly, Middle Mountain and High Mountain. The elevated northernmost part of the High Mountain is also called Himalayas or Tibetan Plateau. The Terai, a long narrow belt of fertile agricultural flat land, is part of the alluvial Gangetic Plains and has altitudinal variations ranging from 60m to 300m. The Terai lies between the Indian border in south and the first outer foothills of Nepal in the north. The Siwalik range, 600m to 1500m in elevations, lies in the north of Terai region. This range is wider in the western and far-western parts than the eastern part of the

country, which is mainly composed of sedimentary rocks and big boulders. To the north of Siwalik is a zone of discontinuous valley (also called '*Dun*'). The intensive cultivation and decrease forest cover in combination has been causing a serious problems of soil erosion in these valleys. To the north of these valleys is the Mahavarat Range (2700m-3700m), which in terms of formation and elevation, is geologically more developed in eastern and central Nepal than western Nepal. It is composed of hard rocks such as granite or quartzite and limestone. To the northern most parts of Nepal is a snowy mountainous region (Himalayas) that lies above 4000m in elevation and screeches from east to the west of the country (Devkota 2004).

A sharp topographical variations from 60m to 8848m within small distance of Nepal contributes to different climatic zones. Rapid changes in the altitude and aspect along the latitudes have made existence of wide range of climatic conditions in Nepal (Nayava, 1974). Nepal experiences different weather and climate within it at same time. The major climatic zones includes; tropical climate zone, subtropical climate zone, temperate climate zone, sub-alpine climate zone and alpine climate zone. Temperature in Nepal varies mainly with topographic variations along south-north direction. Normally, the average temperature decreases by 6°C for every successive gain in altitude by 1000m (Jha, 1992). The Terai Region is the hottest region of the country, the hilly region is relatively colder than Terai while the Mountain Region is the coldest one.

The long term weather of a particular area is the climate. Generally, climate is the aggregate weather of 30 years. The any change in climate is the climate change. Hence, the climate change is the change in the aggregate statistical distribution of weather of long term duration of an area. Climate change can be indicated by studying different indicators like air temperature, precipitation, etc. Any change in such indicators suggests there in climate change. The climate change is a natural process but the rapid change in recent decades is anthropogenic. The main cause of climate change is emission of greenhouse gases. There are natural and anthropogenic sources of emission of greenhouse gases that causes climate change.

1.2 Statement of the Problem

Nepal is agricultural country and has the wide range of climate within a small area. Agriculture is dependent on climate and weather and economy of the county is dependent

on agriculture hence the economy is very much influenced by climate and weather. The change in any parameters of weather can change the agriculture production and the economy of the country. The weather also has effect on the development works of the country. As Nepal has vast topographical variation, there are risks of floods, landslides and other climatic disasters. To minimize the risk of natural disasters and to adopt mitigating measures, the detail study of climatic pattern is must.

The primary source of livelihood of Nepali people is agriculture. More than 80 percent of people depend on agriculture for income and employment; has large contribution in GDP of the country. Growth in production and productivity in the agricultural sector plays an important role in the socio economic condition of people (NPC, 2008).The agriculture production is dependent on the climate and weather. The change in any meteorological parameter can highly reduce the agricultural production. The parameters like temperature, rainfall, wind speed and direction, sunshine duration and intensity, relative humidity and others play important role in plant's physical development. The global climate is changing hence the meteorological parameters are also changing. So the detail study of climate change and meteorological parameters is must for the better production.

Though there we can apply mitigation processes for reducing the effect of climate change but is not the current result give technique to better production. For the changing climate, adaptation measures should be adopted for the better production of agriculture. A successful adaptation techniques in any area can be practiced in other similar environment for the improvement of agricultural production and living standard of the farmer.

1.3 Research Questions

The study tried to answer the following questions in order to understand the effect of climate change on agricultural production and adaptation techniques applied by farmers in Bigutar village of Okhaldhunga district. The research questions are:

- Do the farmers of Bigutar village have knowledge about climate change and its impact in agriculture?
- How has the climate change affected agricultural production in Bigutar village of Okhaldhunga district?

- What are the adaptation mechanisms adopted by the farmers of Bigutar village to increase production against changing climate?

The research paper tried to attempt to the answers of all the research questions.

1.4 Objective of the Study

The general objective of this study is to find the effect of climate change on agricultural production in the hilly region of Nepal. The study is focused in a single village: Bigutar, Okhaldhunga. The study aims to find the proper adaptation techniques in agriculture for changing climate. The specific objectives of this study are:

- a. To explore the farmer's knowledge on climate change in Bigutar village, Okhaldhunga.
- b. To analyze the impact of climate change on agricultural production and adaptation techniques in the study area.

1.4 Rationale of the Study

Climate Change has multidimensional impact, both at national and international level. It is forcing the earth to change living patterns. Agriculture is affected the most by this change, which poses the threat to food security of nations and livelihoods of millions of farming communities. This study will try to find out the perception of farmers in climate change. As the people whose primary occupation is agriculture are more engaged in agricultural sector, they will know better about the changes in the agricultural productivity and changes due to various factors. Thus to know how they perceive, this study will also try to find out the coping strategies/measures adopted by the farmers to mitigate with the climate change problem to their level.

Climate change has become an issue for discussion on various seminars, conferences etc. and has been the global environmental challenge. Thus, it has become necessary to know about the climate change and its impact on agriculture and the adaptation measures. So, this research will help to know about how people perceive and how they have been affected. Moreover, to mitigate the problem what the tools and techniques are, measures, strategies

that the farmers are adapting and whether they are affordable to the local people is equally important to understand the whole process.

1.5 Limitations of the Study

The study is limited to Bigutar village of Okhaldhunga district. Though the result obtained from this research can be generalized to other location of same climate but many other factors also affects the agriculture production. The climatic data taken in the study is from Okhaldhunga district headquarter. Though this climate data give the similar trend but does not accurately represent the climate data of the study area.

CHAPTER TWO

LITERATURE REVIEW

2.1 Climate Change

The Intergovernmental Panel on Climate Change (IPCC), a group established by the World Meteorological Organization (WMO) and the United Nations Environment Programme (UNEP), reports that the average surface temperature of the earth has increased during the twentieth century by about $0.6^{\circ} \pm 0.2^{\circ}\text{C}$. WMO, in its Decadal Global Climate Summary, 2001-2010, characterized the decade 2001-2010 a record in global temperature increase since sufficiently comprehensive global surface temperature measurement began in 1850. This trend is confirmed at national level where 96% of the countries had their warmest decade in 2001 to 2010 and 4% in 1991 to 2000. Nine of the decade's years were among the 10 warmest on record. The warmest year ever recorded was 2010, with a mean temperature anomaly estimated at 0.54°C above the 14.0°C baseline. The warmest worldwide land-only surface-air temperature was recorded in 2007, with a temperature anomaly of $+0.95^{\circ}\text{C}$ (IPCC, 1996).

The largest number of national records for 24-hour extreme precipitation events, as reported in the WMO survey, occurred over the past two decades, 1991-2010. Global land-surface precipitation averaged over 2001-2010 was above the 1961-1990 average. It was the wettest decade since 1901, except for the 1950s. In addition, 2010 was the wettest year ever recorded at global level. The previous wettest years were 1956 and 2000 (WMO, 2013).

Many studies had been carried out in the precipitation of Nepal. Most of the study results showed that Summer Monsoon brings about 80 percent of annual rainfall in Nepal during the rainy season of Nepal. The rainy season of Nepal includes the months of June, July, August and September. Other 20 percent of annual rainfall is predominantly released by western disturbances. According to Nepal Hydrological and Meteorological Research Center and Consultancy P. Ltd., the mean annual precipitation of Nepal is around 1800mm. The annual trend in precipitation all over the country is 0.7mm/yr (DHM, 2015).

The seasonal mean rainfall is highest (1277mm) during summer monsoon season and lowest (67 mm) during winter. SMR series has seasonal highest of 1530 mm (1975) and lowest of

990 mm (1992) rainfall. Whereas during winter season, the highest amount of 134 mm (1962) and the lowest amount of 11 mm (1967) is observed. But, the variability is found highest (65%) during post-monsoon season and lowest (9%) during monsoon season (Devkota, 2004).

Shrestha et al. (2000) studied on the precipitation fluctuations in the Nepal Himalayas and its vicinity and relationships with some climatological parameters. They studied precipitation records from 78 stations distributed across the Nepal (1948-1994). The all-Nepal and regional precipitation series showed significant variability on annual decadal time scales. Distinct long-term trends were not found in these precipitation records.

Adhikari (2003) studied on the daily, monthly and seasonal rainfall climatology during summer monsoon at Pokhara, Kathmandu, Okhaldhunga and Dhandagi using the daily rainfall data of those stations. In his studies, 1972,1977,1980,1981, 1982 are the drought year of Okhaldhunga while 1969, 1970, 1971, 1978, 1989 and 1997 are the flood year.

Neupane (2016) studied about the climatic pattern of Okhaldhunga. The conclusion of the report suggests there is significant change in the temperature and rainfall pattern in Okhaldhunga. The higher increase is observed in the maximum temperature. There is much more increase in the average maximum temperature than the minimum temperature. Though the minimum temperature has also been increased but the increase is less compared to the maximum. The average increase is 0.44 degree Celsius per decade. There is not much difference in the average temperature in the decades of seventies and eighties but the rapid increase in temperature followed in the decade 1990s.

The precipitation extremes show increasing trend in total and heavy precipitation events at most of the stations. However, the systematic difference is not observed in extreme precipitation trend between hills and low land southern plains of terai. The evidence suggests complex processes in precipitation extremes, but at the same time there is indication that more weather related extreme events like floods, landslides can be expected in future (Baidya,et al. 2008).

There have been many studies on the temperature trend of Nepal. The past studies and observed data shows the temperature is minimum in winter season and maximum in last pre-monsoon and monsoon season. The Terai region experiences more than 40°C in summer

while the negative temperature is common above the Snow Belt region of Mountain region. Most of the maximum temperature series show increasing trend, except the TS and all-Nepal series during pre-monsoon season where slight decreasing trends are observed. Whereas, most of the seasonal and annual minimum temperature series for HM region and all-Nepal show decreasing trend and these for TS and HMM regions show increasing trends. The highest increasing of maximum temperature trend of $0.4^{\circ}\text{C}/\text{decade}$ is observed over HMM region during the post-monsoon. The highest increasing and decreasing trends of minimum temperature of 0.37 and $0.57^{\circ}\text{C}/\text{decade}$ in winter season are observed over HM region in annual and TS series, respectively (Devkota, 2004).

Baidya et al. (2008) studied the trends in the daily climatic extremes of temperature and precipitation of Nepal. The daily temperature data of for 36 years from 1971 to 2006 of Nepal were analyzed. General warming trend had been observed in the temperature extremes.

General increasing trend has been observed in the temperature extremes. Most of the temperature extreme indices show a consistent different pattern in the mountainous and the terai belt. The trend is of relatively higher magnitude in mountainous region. Such pattern may be associated with the occurrence of prolonged fog in the terai region. Days and nights both are becoming warmer and cool days and cool nights are becoming less frequent (Baidya et al.2008).

Sharma et al. (2000) studied anthropogenic, climatic and hydrological trends in the Koshi Basin, as representative of the Himalaya, the analysis of meteorological time series from 1947 to 1993 showed some increasing tendency of temperature.

PAN (2009) found a general increasing trend in temperature has been found over Nepal based on data from 1976 - 2005. The maximum temperature was found to be increasing at a greater rate ($0.05^{\circ}\text{C}/\text{year}$) than the minimum temperature ($0.03^{\circ}\text{C}/\text{year}$). A decreasing trend was found in maximum temperature in Terai region during winter season. Mean annual maximum temperature in Terai belt reached above 30°C which gradually decreased towards North. In Siwalik range, the mean maximum temperature varied between 26°C to 30°C . The mean maximum temperature ranged between 22°C to 26°C in the middle hills regions and reached below 22°C in the high hills and the Himalayas or the mountains.

Shrestha et al. (1999) studied on the maximum temperature trend in the Himalaya and its vicinity using maximum temperature data from 49 stations in Nepal for the period of 1971-1994. Warming trends of maximum temperature was observed after 1977, ranging from 0.068 to 0.128 °C/year in the most of the Middle Mountains and Himalayan regions.

A report by Ministry of Environment, Climate Change Vulnerability Mapping for Nepal, 2010, states the overall climate change risk trend which includes precipitation and temperature parameters is very high (0.442-0.579). The landslide risk is also high (0.358-0.556) (MOE 2010).

2.2 Impact of Climate Change in Agriculture

The major cause of climate change is the change in the concentration of carbon dioxide and other greenhouse gases in the atmosphere which help in the change in temperature of the earth by absorbing more radiation. The change in the concentration of carbon dioxide has direct effect in agriculture as carbon dioxide is taken by plants for photosynthesis. The change in temperature of the earth has effect in production life as temperature plays important role through germination to its final stage.

Climate change and agriculture are interrelated processes, both of which take place on a global scale. Climate change affects agriculture in a number of ways, including through changes in average temperatures, rainfall, and climate extremes (e.g., heat waves); changes in pests and diseases; changes in atmospheric CO₂ and ground-level ozone concentrations; changes in the nutritional quality of some foods; and changes in sea level (Wikimedia Foundation, 2016).

Climate change is already affecting agriculture, with effects unevenly distributed across the world. Future climate change will likely negatively affect crop production in low latitude countries, while effects in northern latitudes may be positive or negative. Climate change will probably increase the risk of food insecurity for some vulnerable groups, such as the poor (Wikimedia Foundation, 2016).

Agriculture contributes to climate change by (1) anthropogenic emissions of greenhouse gases, and (2) by the conversion of non-agricultural land (e.g., forests) into agricultural land. Agriculture, forestry and land-use change contributed around 20 to 25% to global annual emissions in 2010 (Wikimedia Foundation, 2016).

A report released by International Food Policy Research Institute (IFPRI) says due to climate change, the food production will be less. In the countries where already the price of food is high, the more increase in price of food may cause social violence. This type of violence is proving to appear in the poor countries like Zimbabwe and Nepal where the inflation of money is higher. IFPRI suggested that twenty-five million more children will go hungry by the middle of this century. The children of 2050 will have fewer calories to eat than those in 2000. In the countries, where adequate injection of funds and new technology are not available, wheat yields could fall by more than 30%, setting off a catastrophic rise in prices. Wheat prices, with unmitigated climate change, could rise by 170%-194% by the middle of this century. Rice prices are projected to rise by 121% and almost all of the increase will have to pass on to the poor consumers poor countries. According to the same report, people in both the developing and developed countries will have to less to eat by 2050 if climate change is not seriously addressed, through the short fall will be relatively slight in richer countries. In 2050 the calories 20 available for each person in industrialized nations will fall from 3,450 in 2000 to about 3,200. In developing countries overall, the average will fall from 2,696 to 2,410 calories. In sub-Saharan Africa, people will on average have only 1,924 calories a day, compared with 2,316 in 2000. In this condition, there can be social violence for the gain of food. If the climate change is not seriously addressed, we cannot say it is not possible the arrival of time, when on man kills other man for killing his hungry. So climate change also creates negative effect on human security (Msangi & Rosegrant, 2008).

The world food trade model estimated that in 1980 there were about 500 million people at risk of hunger, in 2060 it has been estimated to be 640 million, however with unmitigated climate change it has been estimated to be at 700 million. Declines in yields in low altitude regions (where many developing countries are located) are projected require to imports large amount of cereals. The number of hungry people in developing countries will increase by 1% for any 2-2.5% in increase in prices. This means the number of peoples at risk of hunger grows by 10-60% in the scenarios tested, resulting an estimated increase of 60 to 350 million people in this condition (Rosenzweig & Parry, 1994).

Agricultural production and biophysical, political and social systems that determine food security in Africa are expected to be placed under considerable additional stress by climate change (FAO, 2011)

Climate variability driven by major inter annual-scale climate modes, such as the El Nino Southern Oscillation, has been playing a key role by often leading to droughts and decrease in crop yields that could further result in famine in some food insecure regions. For example, droughts in the United States in 2012, heat waves and associated Russian wheat embargo in 2010/2011, and droughts in Australia in 2006/2007 and 2007/2008 led to low levels of cereal stock and steep increases in food prices, likely worsening the access to affordable food for many consumers, including the poor in import-dependent countries (FAO, 2011). Ongoing climate change and associated changes in the intensity, frequency and duration of weather/climate extremes, in conjunction with growing population, dietary shift and increasing bio-fuel demand, are additional concerns for 21 global food security. For example, Lobell and Gourdji in their article The influence of climate change on global crop productivity published on 2012 in Plant Physiology Preview for Department of Environmental Earth System Science and Center on Food Security and the Environment, Stanford University estimated that climate change from 1980 to 2008 has already reduced global production of maize by 3.8% and wheat by 5.5% relative to a counterfactual without climate change (Iizumi & Navin, 2015).

In Nepal, 64 percent of cultivated land is fully dependent on monsoon rainfall and hence agricultural production is vulnerable to change in nature, time and duration of monsoon rainfall (Dhakal, 2003). Agricultural production would suffer severe losses due to heat stress, longer dry season, uncertain rainfall and degradation of land with adverse consequences of food security.

Changes in water and flow regime are found the most critical under anticipated changes in climate system. Water related disaster, flood, drought, erosion, and landslide may occur with greater frequency in future, directly affecting the land. The population in Terai, plains and hilly areas is more vulnerable than in other areas (Alam & Regmi, 2004).

2.3 Adaptation Measures to Climate Change

Adaptation is the responsive adjustment in natural or human managed systems to minimize the impacts, effects or expected changes. IPCC has categorized adaptations in two types; spontaneous and planned. Spontaneous adaptation occurs at the level of individual whereas planned adaptation need involvement of society with guiding policies (Berry, et al., 2006). Adaptation on agriculture can be categorized as: technological, on-farm adjustment

practices, government policy including insurance as well as diversifying household income sources as financial management strategies. In fact, the farmers who have the resources and access should be able to adapt better as compared to resource poor marginal farmers (Esterling & Apps, 2005). Farmers can adapt to climate change to some extent by adjusting planting time and input use, by altering soil management practices as well as diversifying their farm enterprises (Smit & Skinner, 2002).

According to the fourth assessment report of IPCC, adaptation measures are classified as (a) technological: building protective infrastructure like river and sea dykes; (b) behavioral: changing food and recreational choices; (c) policy: implementing new regulations (IPCC, 2007).

Intensifying food production systems, improving land, water and forest management, enabling policies and regional cooperation and strengthening research for enhancing adaptive capacity can be the major key elements for assisting farmers in coping with current climatic risks in South Asia (Shivakumar & Aggarawal, 2008).

In Limpopo River Basin of South Africa, as responses of the farmers to increased temperature, the adaptation measures like changing in crop varieties, changing the planting dates, increasing irrigation and investing on livestock have been adopted (Gbetibouo, 2009). In South Asian countries, particularly India, Nepal and Bangladesh, farmers are already adapting to changing conditions by using traditional seed exchange practices that are part of established seed systems (Gautam, 2008). Farmers can also use their knowledge of abiotic stress tolerance and adaptability in their materials and work with plant breeders to develop varieties that are adapted to changing local conditions and possess improved yields and quality (Devra & Brown, 2008). Many adaptation practices involving crops and livestock have been reported. Climate variability and risks have always been a part of agriculture, due to which farmers have developed many ways of managing risks. Searching and exchanging drought-resistant seeds and other abiotic stress-tolerant crop varieties and adopting and practicing specific soil and water management practices for marginal areas have long been core activities of the farming communities (Gautam & Pokhrel, 2011).

A number of negative effects of Climate change like change in Agricultural Calendar, vegetation shifts, change in routine activities like grazing, harvesting and storing etc. have been observed in Agriculture in Nepal. Over the past three years, the delay in monsoon

season experienced in Nepal has changed the cropping pattern and crop maturity period which has delayed the planting and harvesting season by a month, which has in turn affected rotation practices (Dahal, et al., 2011). The delay in monsoon season has also made thousands of hectares of farm land fallow and reduced production due to lack of water (Regmi & Adhikari, 2008). A drought in the Eastern region of Nepal decreased the rice production by 30% in 2006 and heavy flooding in the mid-Western and far-Western regions in 2006 and 2008 destroyed crops in many places and there is also evidence that the vector borne diseases in livestock are increasing, forcing the livestock population to move to higher altitudes (Practical Action, 2008).

An adaptation measure to climate change has been developed by Government of Nepal (GoN). GoN developed APP covering 20 years (1997/98 - 2016/17), which has been implemented under four periodic plans for the development in agriculture and agriculture based trade industries. GoN developed APP covering 20 years (1997/98 - 2016/17), which has been implemented under four periodic plans for the development in agriculture and agriculture based trade industries (Thapa, 2011).

The APP's target was to increase agricultural growth rates from the past (1964/65-94/95) trend of 3.97% or no-APP case of about 3.26% to 4.75 % annually. The APP showed a slight commodity bias in agricultural planning putting a higher emphasis on the high value agricultural commodities (HVAC) and less on staple foods. APP thus slightly downplayed the importance of self-sufficiency in food grains which may be a questionable strategy. The APP growth accounting framework (GAF) estimated that of the total AGDP, crops would contribute 50% and the rest would come from livestock, forestry, and fishery. APP tried to increase AGDP with contributions from inputs to the extent of 57.6%, namely fertilizers 38.2%, variety 3.4%, and irrigation 16.01% (surface water 7.86%, groundwater 11.56%, and others 3.39%). Thus, the APP mainly targeted HVAC growth through seed-water-fertilizer technologies and trade for food security (Thapa, 2011). The government too has planned for improved seed, fertilizers, technological development and irrigation facilities in order to increase the food production in agriculture.

CHAPTER THREE

RESEARCH METHODOLOGY

3.1 Research Design

This study is carried out on the basis of exploratory as well as descriptive research design as because the study will focus on climate change in the study area and adaptation measures adopted by local people. The study explored and tried to cover all the aspects of climate change to agriculture and the result of adaptations techniques. Also, it attempted to compare the effect of climate change and farmer's coping mechanism used for production of crops.

3.2 Rationale of the Selection of the Study Area

Okhaldhunga is one of the seventy-five districts which lies in the eastern hilly part of the country. It falls in eastern development region and Sagarmatha zone. It lies under the Koshi basin in which Dudhkoshi borders from east, Sunkoshi borders from south and Likhu borders from west. It lies between 27°06' to 27°32' North longitude and 86°10' to 86°41' East latitude and altitude from 390 to 3627 meters from mean sea level (CBS Okhaldhunga, 2070). Generally, mild climate persists in average. The weather never becomes too hot and neither becomes too cold. The summer months are warm, post-monsoon are cool and winter are cold. In pre-monsoon, the days are warm while mornings, evenings and nights are cool. Climate change is assumed to have more impact in the high mountain region and Bigutar village lies near to snow range. So, the study can be generalized to upper hilly areas of Nepal.

According to CBS (2011), Bigutar village occupies total area of 18.01 square kilometers with a population density of 119.3 per square kilometer and 4 kilometers far from the district headquarter. There are 533 families in the Bigutar village with total population of 2157 among with 999 are males and 1158 are females. Bigutar has an area of 18.08 sq. km. The major population includes Sherpa, Chhetri, Brahmin, Newar, etc. Thus the study is in the diversified place and the results can be applied to many places where different caste people live.

3.3 Nature and Sources of Data

This study attempted to explore the community level knowledge of on environmental changes and its effect on crops production along with the adaptations strategy used by farmers for better production. The study has used both primary and secondary sources of data in quantitative and qualitative form. The quantitative data is reflected on table and figures, whereas the qualitative data is used for analysis.

3.4 Sampling Procedure

The universe of the study will be the people of Bigutar village of Okhaldhunga district. The size of the Universe is 619 households (CBS, 2011). For collecting the reliable data, the purposive sampling method is applied. The households from different wards of Bigutar village will be selected purposively in order to conduct household survey. The respondents were selected from those who have been settled there for a long period and whose primary occupation is agriculture. Altogether 50 respondents from different households related randomly were be taken as sample size of the study.

3.5 Data Collection Techniques and Tools

To collect primary data, the structured questionnaire, semi or unstructured interviews and observations methods was applied. The research was used the structured questionnaire, semi or unstructured interviews to collect primary data. Data was collected through household survey, and key informant interview. Additionally, observation methods was applied during data collection for analyzing the data. Likewise, for collection of secondary data, various books, online journals, research papers, newspapers, reports and related sources were referred. Especially, the temperature and rainfall records of Department of Hydrology and Meteorology (DHM) are the main source of secondary data for estimating interrelationship between variables of climate change and the CBS (2011) and District Agriculture Development Office, Okhaldhunga are the sources of population and agriculture related secondary data.

3.5.1 Household Survey

To generate accurate and realistic data structured questionnaire was prepared to be asked to fill up by local people, where as those respondents who are unable to fill up the questionnaire,

the question will be asked to the respondents and the answer will be filled up to collect the required information. The household survey was done in the last week of August 2016. The questionnaire sample that was used in research is attached in ANNEX A.

.3.5.2 Key Informant Interview

The primary data will also be collected from the key informants using the semi or un-structured questionnaire interview method. The interview will be taken as cross checking for data obtained from questionnaire.

The informants will be interviewed on the knowledge of climate change, its impact in agriculture and adaptation measures used in study area. Those informants will be the people involving in agriculture, government officer working in agricultural office, people involved in development of agriculture, and village representative..

3.6 Method of Data Analysis

Data collected will be analyzed with the help of computer program, where simple statistical tools like table, graphs, will be used for data analysis and descriptive methods will be used for qualitative data.

3.7 Limitation of the Study

This present study will be based on and limited to the climate of Okhaldhunga and people of Bigutar village of Okhaldhunga district. The study will be very specific like that of case studies. So, the conclusion drawn from the study might not be conclusive. The conclusion might not be generalized for the whole. But the interferences might be valid to some extent to those areas, which have similar geographic, socio-economic and environmental settings.

CHAPTER IV

DATA PRESENTATION AND DATA ANALYSIS

4.1 Profile of respondent

The respondent were selected so that many of the research question are answered. The respondents should have engaged in agriculture, they should have the knowledge of past agriculture, past climate and other aspect of that village. Followings are the detail profile of the respondents.

4.1.1 Origin of the respondent

As being a remote district and Bigutar village lying side of district head quarter, there is no in-migration in last some decades. All the 50 respondents in the survey were the origin of Bigutar i.e. they were born in Bigutar and remained there till now.

4.1.2 Age group

The age of the respondent highly reflects the reliability of the information as the younger one are not aware of everything and senior citizen know almost every activities of the past. The respondent were selected aiming to get actual information hence they were selected who were not the teenagers. Below table 4.1 gives the detailed information of the age group of the respondent.

Table 4. 1 Age Group of the Respondent

S.N	Age Group	No. of Respondent	Percentage
1	Below 30 years	2	4
2	31-60 years	42	84
3	Above 60 years	6	12
4	Total	50	100


Source: Field Survey 2016

Table 4.1 shows that the majority of the respondent are above 31 years. The 84 percent of the respondent are of age group of 31-60 years, 12 percent are of age above 60 years and only 4 percent are of age below 30 years. The excessive majority of respondent lie in the age group of 31-60 years as the study aims to collect much information as possible. The concept of selecting so much people on that age group is that those peoples have lot of knowledge in agriculture and past climate and also have some knowledge about climate change and modern agriculture practices and climate change adaptation techniques in agriculture.

4.1.3 Caste/ Ethnic Composition

In Bigutar village, more than ten caste people have their presence in total population while Sherpa being the dominant caste with almost 56% of the population of village. Other major castes are Chhetri, Bujhel/Gharti, Bhramin, Newar, Tamang, Rai and Kaami. The pie-chart (fig 4.1) given below show the caste distribution of the respondent.

Fig 4. 1 Caste composition of the respondent



Source: Field Survey 2016

The above pi-chart (Fig 4.1) shows that majority (60%) of the respondent are Sherpa. Other respondent are Chhetri (14%), Gharti/Bhujel (8%), Bhramin (6%), Newar (4%), Rai (4%), Tamang (2%) and Kaami (2%).

4.2 Farming System in Practice

Majority of local people in Bigutar village adopt traditional farming for the food crop while they are adopting modern techniques in the cash crops. There is no big irrigation system in the village which can irrigate whole crop throughout the year. Still, the small irrigation system are used to irrigate most of the cash crops in the village and irrigate other crops also high discharge seasons. According to DADO Okhaldhunga, total land used for agriculture in Bigutar village is 9.66 square kilometers. Table 4.2 shows the statics of people using different irrigation system.

Table 4. 2: Farming System in Practice

S.N.	Irrigation system	Frequency	Percentage
1	Rain Fed Farming	50	100
2	Farming through Irrigation	46	92

Source: Field Survey 2016

From the Table 4.2 we can conclude that the farmers use both farming system i.e. rain fed farming and farming through irrigation. Almost all local practices rain fed farming and all 50 respondents (100%) are in practice of rain fed farming. There is practice of farming through irrigation and 46 respondent were in practice in farming through irrigation i.e. a little percentage (8%) of people are not able to use irrigation system.

4.3. Farmer's Knowledge on Climate Change

Climate change is vague subject. Different people take differently for climate change. Some people do know what climate change is, some people think they know but they have not good knowledge in climate change and some people really know what climate change is. Here, in the field survey, people were asked whether they know about climate change and the parameters of climate change differently for different parameters of climate and impact on agriculture.

4.3.1 Perception towards climate change

Every local does not have knowledge of climate change. Some people feels the present changing parameters of climate are due to climate change, some people think it's a natural

variation process and some people even do not consider the change of climate parameters. Table 4.3 shows the data of local about their perception of climate change knowledge.

Table 4. 3: Farmers perception on their knowledge in climate change

Knowledge about climate change	
Yes	No
46	4

Source: Field Survey 2016

The Fig 4.3 suggests that most of the local people think they know about the climate change. Among the 50 respondents, only 4 people replied that they do not know what climate change and 46 respondent i.e. 92% people know about climate change on their perception. Table 4.4 shows their perception on climate of Bigutar Village.

Table 4. 4: Farmer's perception of climate change

Is Climate Change has occurred in Bigutar Village?		
Yes	No	Do not know
40	6	4

Source: Field Survey 2016

Table 4.4 reflects that there is climate change in the present context and it has impact in Bigutar, Okhaldhunga. 80% of the respondent said that there is climate change, 12% replied there is no climate change and normal climate is going and 8% replied they do not know.

4.3.2 Perception towards rainfall

Among the different parameters, rainfall in one of the major indicator of climate change which has significant impact on agriculture, especially where there is no alternative or poor system of irrigation for agriculture. Nepal's agriculture is highly dependent on rainfall and Bigutar Village of Okhaldhunga also highly depends on rainfall for the agriculture. The change in rainfall volume, intensity and pattern greatly affects the agricultural production.

This researched aimed to know the thinking of local people towards the rainfall patterns as climate change parameter. Table 4.3 shows the local people's perception towards rainfall pattern.

Table 4. 5: People’s perception towards rainfall in Bigutar, Okhaldhunga


Change in Rainfall Volume			Change in timing		
Yes	No	Change in intensity only	No	Early	Delay
35	5	10	5	2	43

Source: Field Survey 2016

Table 4.3 reflects the people perceptions towards the rainfall pattern. Among the 50 respondents, 35 people (70%) said there has been change in the rainfall volume, 5 people (5%) said they do experienced any change in rainfall pattern and volume while 10 people (20%) said only rainfall intensities changed. Among the 45 people who experienced the change in rainfall pattern, they also experienced the timing of the rainfall. 2 people (4%) said the rainfall has shifted earlier while 43 people (46%) said the rainfall has delayed than earlier. This timing was consider especially for the monsoon rainfall.

According to data of Department of Hydrology and Meteorology (DHM), Government of Nepal, there is slight increment in the annual rainfall volume in Okhaldhunga. Fig 4.2 shows the rainfall pattern of Okhaldhunga district headquarter which is about 6 km far from Bigutar village. The data shows that there is no significant change in the rainfall rate for long duration but high annual fluctuations in rainfall in Okhaldhunga, The average annual rainfall of Okhaldhunga from 1971 to 2015 is 1769mm.

Fig 4. 2: Annual rainfall of Okhaldhunga (1971-2015)



Source: DHM 2016

There is also change in the monsoon timing in Nepal in the last decade. The normal onset date of monsoon in Nepal is 10 June and the withdraw date is 23 September. Table 4.6 shows the monsoon onset dates and withdraw dates in last 10 years in Nepal.

Table 4. 6: Monsoon onset and withdrawal date in Nepal

Year	Onset Date	Withdrawal date
2007	June 7	October 9
2008	June 10	October 17
2009	June 23	October 15
2010	June 17	October 1
2011	June 15	October 7
2012	June 16	September 28
2013	June 14	October 19
2014	June 20	October 7
2015	June 13	October 3
2016	June 15	October 15

Source: DHM 2016

Table 4.6 shows that there is change in timing of monsoon rainfall in Nepal. The normal monsoon onset date in Nepal is 10 June but in the last 10 years only a single day experienced the normal onset date, a single year's onset was earlier than the normal date and 8 years monsoon onset date was late. In an average, there is delay of about 5 days than the normal monsoon onset date in the last ten years. Similarly, the monsoon withdrawal date has also been shifted back than the normal date. The normal withdrawal date in September 23 but neither of the year experienced the withdrawal in that date of earlier than that. In average, there in a delay of 16 days in the withdrawal of monsoon in Nepal.

4.3.3 Perception towards Temperature Change

Temperature is one of the parameter of climate that greatly affects agriculture. Temperature as an effect on the life cycle of plants since the germination to the harvesting period. The study of temperature is very important for agriculture. The change in temperature pattern greatly affects the agricultural production.

There is no any climatic records from Bigutar village. The nearby climatic station is at Okhaldhunga district headquarter installed and regulated by Department of Hydrology and Meteorology, Government of Nepal. This studies focus on the local farmer’s view towards climate change. Hence, the respondents were asked about the change of temperature according towards their feelings. Table 4.7 shows the perception towards change in temperature by the respondents in last ten years in Bigutar village.

Table 4. 7: Farmer's perception on temperature


Temperature	Yes	No	Do not know
Change	39	6	5
Increased	31	-	-
Decreased	8	-	-

Source: Field Survey 2016

From the response of the people we can say that the temperature has been changed in the last decade. Table 4.7 reflects that 78% of people felt the change in temperature pattern. Among 50 respondent, 6 people (12%) said there is no change in temperature while 5 people (10%) said they were unaware of temperature changes. 31 respondents (62%) said there is increase in the temperature in the last decade.

This research also aims to check the climatic parameters that are available and want to relate it whit the people’s perception. The fig 4.3 shows the temperature pattern of Okhaldhunga in last 45 years from 1971 to 2015. The graph of annual average temperature shows increasing trends with some annual fluctuations.

Fig 4. 3: Annual average temperature of Okhaldhunga (197-2015)



Source: DHM 2016

4.3.4 Perception towards the change of other climatic pattern

There are several others climatic factors other than temperature and precipitation which affects in the agriculture. Other factor that may influence in agriculture are fog, cloud, relative humidity, heat waves, cold waves, snow fall, hail etc. Table 4.8 reflects the people's perceptions on the effect of these parameters in agriculture in Bigutar village.

Table 4. 8: Farmer's perceptions on change in different climatic parameters

S.N.	Climatic Parameters	No of Peoples					
		Change in pattern			Effect in Agriculture		
		Increased	Deceased	No idea	Positive	Negative	No idea
1	Clouds	22	19	9	30	11	9
2	Fog	30	16	4	16	30	4
3	Relative Humidity	14	9	27	28	6	16
4	Hail	18	22	10	21	29	0
5	Snow	Never Occurred					
6	Heat Waves	Never Occurred					
7	Cold Waves	Never Occurred					

Source: Field Survey 2016


Table 4.8 shows that other climatic parameters has also been changed in the last decade in Bigutar village. Among the different climatic parameters, none of the respondents observed snow, heat waves and cold waves in Bigutar village. There was different views towards the changing pattern of cloud. Almost similar number said increased and decreased as well with a little percentage higher in the perception towards increased pattern and majority of them think increasing clouds amount signifies positively in agriculture. This could be because rainfall occur through clouds. Fog also changed its pattern in Bigutar. Majority of respondent (60%) felt that there is increased pattern of fog and that has negative impact in agriculture. Similarly, the increase percent of relative humidity has positive impact on agriculture. About 54% respondent feel that increase percent of relative humidity help in good agriculture production while 32% of them were unaware about the effect of relative humidity in agriculture. The respondent were also asked about the changing pattern of hail but no

significant result can be get due to similar percentage of answer towards increased and decreased pattern but majority replied it has negative impact in agriculture.

4.3.5 Impact of Climate change in agriculture production

The respondents were asked differently on the effect of climate change in agriculture. The questionnaire was designed in such a ways that we get the answers of impact of climate change, crops that were affected by climate change and the cause of impact of agriculture i.e the particular climatic parameter which affects the specific crop. Fig 4.4 shows the people's perception on the effect of climate change in agriculture.

Fig 4. 4: Effect of climate change in agriculture




Source: Field Survey 2016

The fig 4.4 shows that there in high impact of climate change in agriculture in Bigutar village. Among the 50 respondents 40 respondents (80%) said climate change has affected in agriculture production and only 5 respondents (10%) said climate change has not affected while 5 respondents (10%) were unaware about the impact of climate change.


The impact of climate change is not same for all the crops. Different climatic parameters affects differently to various crops. A type of change in climatic parameter may affect negatively for one type of crop while same change can have positive impact on other type of crop. Fig 4.4 and fig 4.6 show the impact of climate change in different types of crops that are cultivated in Bigutar village.

Fig 4. 5: Impact of climate change in different crops



Source: Field Survey 2016

Fig 4. 6: Effect of climate change in production



Source: Field Survey 2016

Above fig 4.5 reflects that there is effect of climate change in crop in Bigutar village. Among the 50 respondents, 40 respondent (80%) replied that there is effect on crop by climate change, 5 respondents (10%) said there is no effect on crops by climate change and 5 respondents (10%) said they have no idea in it.

Though majority of the respondent felt that the climate change has effect on crops, but they found different impact in different crops. Their production of tomato, cauliflower, maize, rice and cucumber has increased in last years. Only the production of wheat and millet are

decreased in the recent years. This increase in production of different crops may be the result of other factors such as increased temperature, use of fertilizers and insecticides and other climate change adaptation measures. The various climatic reasons described by the respondent that effect in the production are temperature, rainfall, fog, hail, cloud cover, etc. The respondent also described that the maximum change was in monsoon and winter season.

4.3.6 Change in Agriculture Production by Duration Wise

This research is also aims to get the effect of climate change in the temporal distribution. The local people was asked the effect of climate change in agriculture in three duration of time i.e. from 5 years to now, from 5 years to 10 years ago and beyond that. Table 4.9 reflects the duration wise effect of climate change in the major crops cultivated in Bigutar village.

Table 4. 9: Duration-wise change in production of different crops

S.N		Time Period	Change in Production			
			Increased	Decreased	No Change	No idea
1	Tomato	0 to 5 years ago	31	9	5	5
		5 to 10 years ago	14	22	9	5
		Above 10 years	2	4	34	5
2	Cauliflower	0 to 5 years ago	28	12	5	5
		5 to 10 years ago	7	28	10	5
		Above 10 years	5	30	10	5
3	Maize	0 to 5 years ago	11	27	7	5
		5 to 10 years ago	14	19	12	5
		Above 10 years	3	8	34	5
4	Rice	0 to 5 years ago	7	31	7	5
		5 to 10 years ago	17	19	9	5
		Above 10 years	3	8	34	5
5	Wheat	0 to 5 years ago	13	27	5	5
		5 to 10 years ago	19	21	5	5
		Above 10 years	11	2	32	5
6	Millet	0 to 5 years ago	10	30	5	5
		5 to 10 years ago	15	20	10	5
		Above 10 years	5	15	25	5
7	Cucumber	0 to 5 years ago	38	2	5	5
		5 to 10 years ago	10	20	15	5
		Above 10 years	16	19	10	5

Source: Field Survey 2016


The table 4.9 reflects that the majority of crop production has increased in the last 5 years except wheat and millet. This may be due to use of fertilizers, hybrid seed and adopting climate change adaptation measures. The years between 5 to 10 years ago was the years of worst production in crops in Bigutar village. That may be due to effect of climate change and farmers were not able to adopt the changing climate and the use of fertilizers and hybrid seed was not in practice. Still some of the farmers found increase in production in that period. That may be due to their good farming system, adaptation of climate change adaptation process and use of fertilizers and hybrid seen by them. Table 4.10 and fig 4.7 show the overall production of crops in Okhaldhunga that are cultivated in Bigutar village.

Table 4. 10: Overall production of different crops in Okhaldhunga

S.N.	Crops	Overall Production in Fiscal year (in Metric ton)								
		63/64	64/65	65/66	66/67	67/68	68/69	69/70	70/71	71/72
1	Cauli-flower	-	-	-	-	-	279	2807	3245	3245
2	Tomato	-	-	-	-	-	1283	855	912	912
3	Rice	17224	17223	16907	16933	-	6863	16959	15584	16171
4	Maize	23670	23857	26897	23712	-	17090	27948	27948	30257
5	Wheat	2988	4504	3649	5684	-	4608	4731	4258	4494
6	Millet	10095	10075	10120	11865	-	11841	8216	11937	11627

Source: DADO Okhaldhunga 2016

Fig 4. 7: Crops production in Okhaldhunga district




Source: DADO Okhaldhunga 2016

Table 4.10 and fig 4.7 show the increase in overall production in the major crops cultivated in Okhaldhunga district. The DADO Okhaldhunga started to take record of vegetable like cauliflower and tomato individually only after Fiscal year 68/69. That is due to their low production in earlier years. There is high increase in maize production followed by wheat. Other crops production do not changed significantly. Data records are of from whole district and not only from Bigutar village so these data do not reflect the condition of Bigutar village.

4.4 Adaptation Measures Taken in Agriculture

One of the measure objective of this research is to study the adaptation measures taken in agriculture in the rural areas of Nepal. The people of Bigutar also practiced in adaptation techniques against climate change. Fig 4.8 reflects the knowledge of adaptation techniques to climate change of the farmers of Bigutar village.


Fig 4. 8: Knowledge of adaptation techniques in farmers



Source: Field Survey 2016

Fig 4.8 shows that many of the respondents have general knowledge about the adaptations techniques to climate change. None of the respondent were unaware about the adaptation techniques towards changing climate in agriculture. Fig 4.9 shows the no of people who use the adaptation techniques to different crops.

Fig 4. 9: Use of adaptation techniques for different crops



Source: Field Survey 2016

Fig 4.9 shows the number of farmers who use adaptation measures to climate change for different crops. Most of the farmers uses adaptation techniques. The number of farmers using adaptation measures differs with the crop. There is high percentage of farmers who uses climate change adaptation measures for the crops rice, maize, cauliflower, tomato and cucumber. A few farmers used adaptation measures for wheat while none of the respondent uses adaptation techniques to millet. This reflects that farmers are more concerned towards the cash crops rather than food crops. Table 4.11 reflects the number of farmers using different adaptation techniques to climate change in agriculture.

Table 4. 11: Farmers using different adaptation techniques

Measures	Yes	No
Changing Irrigation Pattern	38	12
Use of artificial fertilizers	35	15
Use of insecticides/pesticides	35	15
Greenhouse	30	20
Improves seeds	30	20

Source: Field Survey 2016

Table 4.11 reflects that farmers use different measures for climate change adaptations. Majority of farmers are changing irrigation pattern in agriculture. They are also using artificial fertilizers for better production. Others techniques that are adopted in Bigutar village are use of insecticides/pesticides, making greenhouse and using improved seeds.

4.4.1 Change of Irrigation Pattern

Changing irrigation pattern is one of the different techniques of adaptation techniques to climate change in agriculture. The different irrigation patterns are drip irrigation, surface irrigation, sprinkle irrigation, furrow irrigation etc. Different crops are treated with different irrigation techniques. Table 4.12 shows the different irrigation practices used in Bigutar village for different crops in recent years.

Table 4. 12: Irrigation practices of Bigutar village

S.N.	Crops	Irrigation Practices
1	Rice	Rainfall, flood irrigation, plastic ponds
2	Maize	Rainfall
3	Wheat	Rainfall, flood irrigation. pipe irrigation
4	Millet	Rainfall
5	Tomato	Sprinkle irrigation, drip irrigation, pipe irrigation, plastic ponds
6	Cauliflower	Sprinkle irrigation, drip irrigation, pipe irrigation, plastic ponds
7	Cucumber	Sprinkle irrigation, drip irrigation, pipe irrigation, plastic ponds


Source: Field Survey 2016

Table 4.12 shows the different irrigation pattern use in Bigutar village in agriculture. Farmers rely rainfall for maize and millet. They do not use other irrigation system to irrigate them. Farmers has constructed plastic ponds to store water. They are using new techniques of irrigation line sprinkle irrigation and drip irrigation for the cash crops like tomato, cauliflower and cucumber.

4.4.2 Use of Artificial Fertilizer

Use of artificial fertilizers is very common in recent years to increase the agricultural production. Fig 4.10 shows the number of farmers who uses artificial fertilizers for different crops in Bigutar village.

Fig 4. 10: Farmer's use of artificial fertilizers




Source: Field Survey 2016

Fig 4.10 reflects that majority of farmers use artificial fertilizers for most of the crops. The data shows farmers do not use artificial fertilizer for millet while there is high use of fertilizer in other crops.

4.4.3 Use of Insecticides and Pesticides

With the changing time, there is evolution of different insects and diseases in agriculture with reduces production. The climate change has also helped in the evolution of many insects and diseases in crops in the recent years. So, farmers are using different insecticides and pesticides to tackle with those insects and diseases. Fig 4.11 shows the number of farmers those uses insecticides and pesticides in crops for better production.

Fig 4. 11; Farmer's use of insecticides/pesticides



Source: Field Survey 2016

From fig 4.11 we can conclude that there is high use of insecticides and pesticides to improve crops production. Farmers are using insecticides and pesticides in all the crops except millet. This suggests that the climate change has brought lots of insects and diseases that has negative effect in crop's production.

4.4.4 Protection of Crops from Natural Disasters

The change of climate has introduced my natural disasters like flood, intense hailstorm, intense rainfall etc. Some of the climatic parameters may damage the crops in short duration even in less than an hour. Table 4.13 shows the preparedness towards natural disasters by the farmers of Bigutar in agriculture.

Table 4. 13: Protection of crops from natural disasters

S.N.	Crops	Protection from Natural Disasters	
		Yes	No
1	Rice	0	50
2	Maize	0	50
3	Wheat	0	50
4	Millet	0	50
5	Cauliflower	36	14
6	Tomato	37	13
7	Cucumber	25	25

Source: Field Survey 2016

Table 4.13 shows that there id protection from disasters only for some of the crops and mainly the cash crops. The protection for cauliflower, tomato and cucumber was common in Bigutar. There the protection building greenhouse for the entire life of tomato while protection for cauliflower and cucumber was only at the germination period and early period.

4.4.5 Use of Improved/New Seeds

The old type of crop or seeds may not have enough productivity in changing climate. So, use of new seeds is one of the best method to increase the productivity of the crops. Table 4.14 shows the number of farmers those uses new types of crops for different crops that are cultivated in Bigutar village.

Table 4. 14: Use of improved seeds for different crops

S.N.	Crops	Use of Improved/New Seeds	
		Yes	No
1	Rice	19	31
2	Maize	25	25
3	Wheat	5	45
4	Millet	0	50
5	Cauliflower	45	5
6	Tomato	45	5
7	Cucumber	25	25

Source: Field Survey 2016

Table 4.14 shows that the farmers are interested in improved seed and many farmers are using improved and new types of seed. There is less use of improved seeds in food crops while much more adaptation of new seed in cash crops. Though all farmers are not using improved seed in every crops but majority of them used improved seeds except for millet.

4.4.6 Change in Cropping Pattern

With the changing climatic patterns, the change in cropping pattern may be useful in the production of crops. Table 4.15 shows the number of respondents who change cropping pattern in anyway.

Table 4. 15: Change in cropping pattern

S.N	Crops	Change in Cropping Pattern	
		Yes	No
1	Rice	50	0
2	Maize	50	0
3	Wheat	50	0
4	Millet	50	0
5	Cauliflower	50	0
6	Tomato	50	0
7	Cucumber	50	0

Source: Field Survey 2016

Almost all the respondents are changing the cropping pattern. Even the farmers who think there is no climate change have also change the cropping pattern according to rainfall pattern in Bigutar village. Some of the farmers are cultivating cash crops more than food crops and minimizing the use of water by different irrigating practices and constructing greenhouse.

4.4.7 Consulting Agriculture Experts

There are different modern techniques that are used to cope with the climate change. Table 4.16 shows the respondents behavior towards consulting agriculture experts in Bigutar village.

Table 4. 16: Consulting agriculture experts

Do you consult agriculture experts?		Is it fruitful?	
Yes	No	Yes	No
45	5	45	0


Source: Field Survey 2016

Among the 50 respondent, 45 farmers (90%) consult the agriculture experts and all of them find it fruitful.

4.4.8 Practice of Food Storage

Food storage system is one of the good techniques of adaptation. The farmers can store food in the high production year and use that food in low production. Fig 4.12 shows the number of farmers soring food in Bigutar.

Fig 4. 12: Food storing practice



Source: Field Survey 2016

Fig 4.12 reflects that there is no food storage practices in Bigutar village. This is because none of the respondent produced more than enough food crops and they sell all the cash crops and there is no any mechanism to store cash groups in the village.

4.4.9 Different Supporting Organizations

There are different supporting organizations to improve the agriculture production and adopt with the climate change. Those organizations can be broadly listed as:

- Government sector (District Agriculture Development Office)
- Different NGOs
- Local Groups

CHAPTER V

FINDINGS, CONCLUSIONS AND RECOMMENDATIONS

5.1 Findings of the research

The main objectives of this research was to know the knowledge of rural people towards climate change, the effect of climate change in rural agriculture and explore the adaptation measures taken by rural farmers. Bigutar village is place in with different caste people which are common in the mountains of the Nepal.

5.1.1 Profile of Respondent

The research was aimed to get as much as information from the field. Most of the respondent are above 30 years. All of the respondents are of the origin of the Bigutar village. Respondents consists of different eight caste people with the majority of Sherpa-the indigenous people of high mountains of Nepal. They have both irrigation and rain-feed farming systems in practices.

5.1.2 Farmers Knowledge on Climate Change

Through the filed survey, it is found that most of the people think they have knowledge of climate change. Among the 50 respondent, 46 farmers (92%) said they are aware of climate change and among the respondents 40 farmers (80%) feel that there is change in climate in the recent years, 6 farmers (12%) feel that there is no change in climate while 4 farmers (8%) were unaware about climate change. The farmers were asked about the different parameters of climate change. They also feel that different climatic parameters are changing.

Majority of farmers feel that there in change in rainfall pattern in Bigutar village. Many of the farmers find the delay in the rainfall timing. This delay in rainfall timing was considered for the monsoon rainfall. According to the record of DHM, rainfall measured in Okhaldhunga district headquarter, there if high fluctuations in annual rainfall pattern of last few decades with a slight increasing trends. There in an average delay of onset of rainfall in Nepal of about 5 days in last ten years and average delay of monsoon withdrawal of 16 days.

The farmers of Bigutar village also feel the change in temperature in the recent years with the increasing trend. Among the 50 respondents, 31 farmers (62%) feel that there is increase

in temperature in Bigutar village. The data recorded from the field office of DHM in Okhaldhunga suggests that there is increase in average temperature and not significant high change in annual average rainfall but high annual fluctuations.

The agriculture is affected not only by the change in temperature and rainfall patterns but also by other climatic parameters like clouds, fog, relative humidity, hail, snow, heat waves, cold waves, wind, etc. Among them, none of the farmers found snow, heat waves and cold waves in Okhaldhunga. Among them, fog and hail has created negative effect most in the agriculture.

5.1.3 Impact of Climate in Agriculture Production

The research was focused in the impact of the major seven crops cultivated in Bigutar village. The major crops are tomato, cauliflower, maize, rice, wheat. Millet and cucumber. Most of the farmers find the effects of climate change in the production of these crops. 40 respondents (80%) said that there is effect of climate change in the production of crops, 5 respondents (10%) said there is no effect of climate change in agriculture of Bigutar village and 5 respondents (10%) said they have no idea about the effect of climate change in agriculture. The effect of climate change was not always same to all crops. The farmers finds that there is increase in the production of tomato, cauliflower, maize, rice and cucumber while decrease in the production of wheat and millet. The increase in production of those crops may be the favorable climatic conditions than in the past or use of fertilizers and improved seeds. The increase in the production was mostly found in the last five years.

5.1.4 Adaptation Measures Taken in Agriculture

There is high practices of adaptation measures to climate change in Okhaldhunga in with 45 respondents (90%) of the farmers are practicing any of the different adaptations techniques. There is practice of adaptation techniques more in the cash crops like cauliflower, tomato and cucumber and also in the food crops rice and maize. There is no practice of adaptations techniques for millet and some farmers only have practice of adaptation techniques in wheat. The climate change adaptations practices applied in Bigutar village are:

- Changing irrigation pattern
- Use of artificial fertilizers
- Use of insecticides and pesticides

- Construction of green houses
- Use of improved seeds

Among the different parameters, artificial fertilizers, insecticides and pesticides are used in high proportion of farmers. They are building plastic pond to store water. Sprinkle irrigation system, drip irrigation system and pipe irrigation system are common in recent years. They are also constructing greenhouse for the cash crops like tomato, cucumber and cauliflower. Improved seeds are used by farmers almost for all crops except millet while there in high proportion of farmers using improved seeds are for cash crops.

5.2 Conclusions

There are certain outcomes of this research. The major outcomes in accordance with the objectives are listed below:

- Many of the farmers have knowledge of climate change.
- Many of the farmers think there is impact of climate change in agriculture.
- Majority of farmers have knowledge of different climatic pattern and they feel that many of the climatic parameters like temperature, rainfall, cloud, relative humidity, hail and fog has impact in the agriculture production of Bigutar village.
- Change in every climatic parameters does not has guarantee in the negative impact in the agriculture production. Change in some of the climatic parameters has led to increase in the production of some crops.
- Farmers of Bigutar village have a knowledge of climate change adaptations techniques in agriculture.
- The major adaptations techniques practiced in Bigutar village are changing the irrigation pattern, construction of plastic ponds to store water, construction of greenhouses, use of fertilizers, insecticides and pesticides.
- There is increase in the production of many crops like rice, maize, tomato, cucumber and cauliflower. This increase in production may be due to suitable climate in the recent years or by the use of climate change adaptations techniques in the recent years.
- There is no enough production in food crops to store for coming years.

- There is no any storage mechanism for the cash crops like tomato, cucumber, cauliflower, etc. so farmers sell it all.
- Farmers consults different agriculture experts and that has been fruitful for them.
- Different organizations including government, NGOs and local group are helping to increase the production and adopt with the changing climate.

5.3 Recommendations

On the basis of the findings and the suggestions given by the farmers, the study suggests following recommendations for different people and concerned authorities.

- Detail study of change in climatic parameters is needed to know the exact impact on agriculture.
- Research in cropping system is needed to prescribe the best crop in Bigutar village.
- Proper irrigation system should be managed.
- Farmers should be provided with better seeds.
- Farmers should be introduced towards more commercial agriculture.
- Training on agriculture should be given and also on the adaptation techniques to climate change.
- There is over use of artificial fertilizers, pesticides and insecticides. Farmers should be made aware about the harm of those chemicals and use of natural fertilizers should be encouraged.
- People are not storing food so they should be encouraged to store food and cold stores should be opened for storage.

No research is perfect in every aspects. There are various limitations in almost every research works. This research was confined within the Bigutar village and do not reflect the result to whole district. The research was focused in the social aspects of agriculture production. All the results are dependent on respondents' response. There are few recommendations drawn after this research:

- The study should be made along with the technical aspects in the subject of climate change.
- The technical aspect in the increase and decrease of crops production should be studied.

REFERENCES

- Adhikari, C. B. (2003). *Daily, monthly and seasonal rainfall climatology during summer monsoon at Pokhara, Kathmandu, Okhalthunga and Dhangadi*. Unpublished Master's Thesis in Meteorology, Tribhuvan University, Kathmandu, Nepal
- Alam, M., & Regmi, B. (2004). *Capacity strengthening in the least developed countries for adaptation to climate change. Adverse impacts of climate change on development of Nepal, integrating adaptation into policies and activities*. Dhaka, Bangladesh: Bangladesh Center for Advance Studies (BCAS).
- Baidya, S.K., Sheike, M. M., Shrestha, M. L. (2008). *Trends in Daily Climatic Extremes of Temperature and Precipitation in Nepal*, Journal of Hydrology and Meteorology, Vol. 5, No. 1
- CBS (2011) *Nepal Living Standard Survey, 2010/11*. Thapathali, Kathmandu: Central Bureau of Statistics.
- CBS (2070 BS). *District Profile of Okhaldhunga*. District Statistics Office, Okhaldhunga
- DADO (2073 BS). *Yearly Agriculture Development Programs and Statistical Book*. District Agriculture Development Office, Okhaldhunga
- Devkota, LP. (2004). *Climate variability over Nepal: Observations, forecasting, model evaluation and impacts on agriculture and water resources*. Unpublished Doctor Dissertation, Kathmandu: Tribhuvan University
- Devra, J., & Brown, A. H. (2008). *A global perspective of the richness and evenness of traditional crop genetic diversity maintained by farming communities*. USA: National Academy of Sciences.
- DHM (2015). *Study of Climate and Climatic Variation over Nepal (Draft Report)*, Nepal Hydrological and Meteorological Research Centre and Consultancy Pvt. Ltd.
- DHM (2016). Department of Hydrology and Meteorology, Ministry of Environment and Population, Government of Nepal.

Dhakal, S. (2003). *One world South Asia*. Retrieved from One World: <http://us.oneworld.net/node/85804>

Esterling, W., & Apps, M. (2005). *Assessing the consequences of climate change for food and forest resources: A view from the IPCC*. *Climate Change*, Volume 70, 165-189.

FAO. (2011). *Crop Prospects and Food Situation*. Rome - Italy: Food and Agriculture Organization of the United States.

Gautam, A. (2008). *Climate Change Impact on Nepalese Agriculture and Strategies for Adaptation*. NAPA, LI-BIRD and Bioversity International.

Gautam, A., & Pokhrel, S. (2011). *Climate change effects on agricultural crops in Nepal and adaptation measures*. Nepal: FAO.

Gbetibouo, G. (2009). *Understanding Farmers' perceptions and adaptations to climate change and variability: The case of Limpopo basin*. IFPRI Discussion Paper.

IPCC. (1996). *Climate Change 1995: Impacts, Adaptation and Mitigation for Climate Change*. Scientific Technical Analysis, Cambridge Univ. Press., 878p

IPCC. (2007). *Climate Change 2007: Synthesis Report*. Intergovernmental Panel on Climate Change.

Jha, P.K. (1992). *Environment and Man in Nepal*. Craftsman Press, Bangkok

MoAC. (2008). *Collection of Agriculture Related Policies, Acts, Regulations and Orders*. Kathmandu, Nepal: Ministry of Agriculture and Cooperatives.

MOE. (2010). *Climate Change Vulnerability Mapping for Nepal*, National Adaptation Programme of Action (NAPA) to Climate Change, Ministry of Environment, Government of Nepal

Msangi, S., & Rosegrant, M. (2008). *World agriculture in a dynamically changing environment: IFPRI's long-term outlook for food and agriculture*. In IFPRI, *Looking Ahead in World Food and Agriculture: Perspectives to 2050* (pp. 57-93). International Food Policy Research Institute.

Nayava, J.L. (1974). *Heavy monsoon rainfall in Nepal*, Weather, Roy.Met. Soci., U.K., Vol.29, 443-450.

Neupane, R. (2016). *Study of climate pattern of Okhaldhunga*, unpublished Master's Thesis in Meteorology, Tribhuvan University, Kathmandu, Nepal.

NPC. (2008). *3 years interium plan*. Kathmandu: National Planning Commission.

PAN. (2009). *Temporal and spatial variability of climate change over Nepal (1976-2005)*. Practical Action Nepal

Pokhrel, D. M., & Pandey, B. (2011). *Climate change adaptation: Strategic vision in agriculture*. The Journal of Agriculture and Environment Vol:12, 104-112.

Practical Action. (2008). *Promoting adaptation to climate change in Nepal. Policy Briefing Nepal*. Kathmandu: Practical Action Nepal.

Regmi, B., & Adhikari, A. (2008). *Fighting climate change: Human solidarity in a divided world*. UNDP.

Rosenzweig, C., & Parry, M. (1994). *Potential impact of climate change on world food supply*. Nature 367, 133-138.

Savada, A. M. (1991). *Federal Research Division of the Library of Congress- Country Studies Index*. Retrieved from U.S. Library of Congress Website: <http://countrystudies.us/nepal/41.htm>

Shivakumar, M., & Aggarawal, P. (2008). *Climate Change and Adaptation framework in South Asia*. India: World Meteorological Organizaiton.

Shrestha, AB., Wake, CP., Dibb, JE., and Mayewski, PA. (1999). *Precipitation fluctuations in the Nepal Himalaya and its vicinity and relationship with some large scale climatological parameters*, Int. J. Climatol. 20: 317-327.

Smit, B., & Skinner, M. (2002). *Adaptation options in agriculture to climate change: A Typology*. Mitigation and Adaptation, Strategies for Global Change, Volume 7, 85-114.

Thapa, Y. B. (2011). Agricultural growth: Lessons. *Nepalese Journal of Agricultural Economics (Vol. 1, No. 1), 1-10.*

Wikimedia Foundation, I. (2016, March 22). *Wikipedia*. Retrieved March 3, 2016, from Wikipedia: https://en.wikipedia.org/wiki/Climate_change_and_agriculture

WMO. (2013). *The Global Climate 2001-2010, A decade of climate extremes* Summary Report, WMO-No. 1119

ANNEX A

QUESTIONNAIRE

Title: IMPACT OF CLIMATE CHANGE IN RURAL AGRICULTURE: A Case Study of Bigutar VDC, Okhaldhunga, Nepal

Eligibility of Sample: Household whose major occupation is agriculture and those who are enrolled in organization to promote the agriculture of Bigutar VDC.

How to identify: Information provided by VDC Office, District Agriculture Office and with the support from local people.

Objectives of the study:

- a. To explore the farmer's knowledge on climate change in Bigutar VDC, Okhaldhunga.
- b. To analyze the impact of climate change on agricultural production and adaptation techniques in the study area.
- c. To analyze the results of adaptation techniques used in Bigutar VDC.

Type of Questionnaire: Close ended structured questionnaire and semi-structured questionnaire to retrieve quantitative and qualitative data.

Participant No.:	Interviewer Name:
Interview Date:	Signature:

GENERAL INFORMATION OF PARTICIPANT:

A. Name:	B. Ethnicity/Caste:
C. Age:	D. Sex:

OCCUPATION

Occupations	Tick	Occupations	Tick
Agriculture		Government Service (Agriculture Office)	
I/NGO (working in Agriculture Sector)		Government (Other than in Agriculture office)	
I/NGO (other than Agriculture Sector)		Other	

6. In your knowledge, what is climate change?

SN	Climatic Parameter	Tick
i.	Change in temperature	
ii.	Increase in rainfall	
iii.	Decrease in rainfall	
iv.	Change in rainfall pattern	
v.	Warm in summer and cold in winter	
vi.	Rain in monsoon	
vii.	More hotter summer and more colder winter	
viii.	Heat waves	
ix.	Cold waves	

7. Have you noticed any changes in above parameters?

SN	Climatic Parameter	Ye s	No
i.	Change in temperature		
ii.	Increase in rainfall		
iii.	Decrease in rainfall		
iv.	Change in rainfall pattern		
v.	Warm in summer and cold in winter		
vi.	Rain in monsoon		
vii.	More hotter summer and more colder winter		
viii.	Heat waves		
ix.	Cold waves		

8. Have you ever noticed any changes in your agriculture production due to climate change?

SN	Crops	Increased	Decreased	No Change
i.				
ii.				
iii.				
iv.				
v.				
vi.				
vii.				
viii.				

9. In your perception, what can be the possible reason for change in agriculture production?

SN	Crops	Reasons
i.		
ii.		
iii.		
iv.		
v.		
vi.		
vii.		
viii.		

10. How has the agricultural production in time series?

SN	Crops	Time Period	Increased	Decreased	No change	Don't know
i.		0 to 5 years				
		5 to 10 years				
		Above 10 years				
ii.		0 to 5 years				
		5 to 10 years				
		Above 10 years				
iii.		0 to 5 years				
		5 to 10 years				
		Above 10 years				
iv.		0 to 5 years				
		5 to 10 years				
		Above 10 years				
v.		0 to 5 years				
		5 to 10 years				
		Above 10 years				
vi.		0 to 5 years				
		5 to 10 years				
		Above 10 years				
vii.		0 to 5 years				
		5 to 10 years				
		Above 10 years				

11. What are the major problems raised in agriculture due to climate change?

- i. Shortage of water
- ii. Over rainfall
- iii. High temperature
- iv. Low temperature
- v. Storm/hail
- vi. Diseases
- vii. Unwanted and new grasses and vegetation
- viii. Other (mention):.....

ADAPTATION TECHNIQUES

12. Are you aware of adaptation techniques to climate change?

- a. Yes
- b. No

13. For which crop/s you are adapting other than traditional system?

- i.....
- ii.....
- iii.....
- iv.....
- iv.....
- v.....
- vi.....
- vii.....

14. Have you change the irrigating pattern?

- a. Yes b. No

If Yes:

Type	Crops	Since

15. Are you using artificial fertilizers?

- a. Yes b. No

If Yes:

Crops	Since

16. Are you using insecticides and pesticides?

- a. Yes b. No

If Yes:

Crops	Since

17. Are you protecting your crops form natural disasters?

- a. Yes b. No

If Yes:

Crops	Techniques	Since

18. Are you using improved seeds and plants?

- a. Yes b. No

If yes:

Crops	Since

19. Are you changing cropping pattern?

- a. Yes b. No

If yes:

Crops	Changed Pattern	Since

20. Do you practice food storage techniques?

- a. Yes b. No

If yes:

Crops	Storage type

21. Do you consult to agriculture experts?

- a. Yes b. No

If yes:

Has it been fruitful? a. Yes b. No

22. Do any individual or organization/s is/are supporting for adaptation for climate change?

- a. Yes b. No

If yes:

- i. Government organization
- ii. Individual
- iii Local Group/s
- iv. NGO/s
- v. Other:.....

Thank You

ANNEX B

PHOTOGRAPHS



Fig a: Plastic pond of Bigutar village



Fig b: Semi-greenhouse for tomato



Fig c: Interviewing with the respondent



Fig d: Cauliflower in early stage