SERO-DIAGNOSIS OF DENGUE VIRUS IN DIFFERENT HOSPITALS OF NEPAL

A

Dissertation Submitted to the Central Department of Microbiology Tribhuvan University

In Partial Fulfillment of the Requirements for the Award of the

Degree of Master of Science in Microbiology

(Environment and Public Health)

By GANESH KHADKA

Central Department of Microbiology

Tribhuvan University

Kirtipur, Kathmandu, Nepal

2011

LETTER OF RECOMMENDATION

The thesis entitled "Sero-Diagnosis of Dengue Virus in different hospitals of Nepal" has been completed by Mr. Ganesh Khadka under our supervision. We hereby recommended this thesis for examination by the thesis committee as a partial fulfillment for the Degree of Master of Science in Microbiology (Environment and Public Health).

Mr. Dev Raj Joshi

Assistant Professor Central Department of Microbiology Tribhuvan University, Kirtipur, Kathmandu, Nepal

Dr. Basudev Pandey (MD, Ph.D.)

Consultant Physician
Sukraraj Tropical and
Infectious Diseases Hospital
Teku, Kathmandu, Nepal

CERTIFICATE OF APPROVAL

On the recommendation of **Dr. Dwij Raj Bhatta** and **Dr. Basudev Pandey**, this dissertation of **Mr. Ganesh Khadka** is approved for the examination and is submitted to the Tribhuvan University in partial fulfillment of the requirements for Master of Science in Microbiology (Environment and Public Health).

Date:	Assoc. Prof. Dr. Dwij Raj Bhatta, Ph.D.

Head of the Department
Central Department of Microbiology
Tribhuvan University
Kirtipur, Kathmandu, Nepal

BOARD OF EXAMINERS

Recommended by:	
	Dr. Basudev Pandey, MD, PhI
	Supervisor
	Mr. Dev Raj Joshi
	Supervisor
Approved by:	
	Assoc. Prof. Dr. Dwij Raj Bhatta, PhD
	Head of Department
Examined by:	
Zhanimed ey.	Prof. Dr. Jeevan Bahadur Sherchand,PhD
	External Examiner
	Dr. Megha Raj Banjara,PhD
	Internal Examiner
Date:	

ACKNOWLEDGEMENT

For the successful completion of this dissertation, I would like to take an opportunity to express my deepest gratitude and appreciation to all whom I am indebted as:

To my respected supervisors Dr. Basu Dev Pandey, Consultant Physician, Sukraraj Tropical and Infectious Disease Hospital, Kathmandu and Director of Everest International Clinic and Research Center, Kathmandu and Mr. Devraj Joshi, Assistant Professor, Central Department of Microbiology, Kirtipur, Kathmandu for their kindness, supervision, encouragement, sharing their expertise with me, insight and resource that facilitated the completion of this study.

I would like to extent my sincere gratitude to Dr. Dwij Raj Bhatta, Head of Department of Microbiology, and all the Faculty members and Staffs of the Central Department of Microbiology, Tribhuwan University, Kathmandu.

I would like to express my heartfelt gratitude to all staff of Everest International Clinic and Research Center (EICRC) for providing laboratory facility. I would like to thanks to Dr. Kishore Pandey for his guidance through out my research and to Mr. Kiran Pandey, lab technician of EICRC

Thanks to Dr. Durga Datt Joshi, Chief of the National Zoonoses, Food Hygiene and Research Center, Tahachal, Kathmandu for his invaluable suggestions, superb guidance and for providing ELISA reader throughout the research period.

I would like to thank Doctors, Nurses and Medical Technician as well as Patients for their cooperation in case definition, blood collection during the sample collection.

I extend my thanks to my friends Dharma Pd. Kuikel, Asia Poudel, Yogendra Shah, Ramesh Pun, Dilip Kumar Karna, Govinda Pd Gupta, Dipak Khadka and Kamala Sapkota for providing me necessary assistance and invaluable suggestions during the entire research period.

Finally, I am greatly obligated to my guardians without whose constant inspiration and unconditional support, this work would not have been completed.

Date:	Ganesh Khad	lka

ABSTRACT

Dengue fever (DF) is an emerging mosquito borne viral disease and important public

health problem in low land Terai region which is also moving towards hilly region in

Nepal. This study was designed to determine the sero-prevalence of dengue virus

infection during period (June–November) of 2010 in Nepalese patients with fever visiting

hospitals of Birgani, Damouli, Biratnagar, Dhading Besi and Chitwan.

The sero-prevalence of dengue virus specific IgM was determined by enzyme linked

immunosorbent assay (ELISA). Serum samples were collected from 289 patients visiting

hospitals with history of fever and clinically suspected Dengue fever. The anti-dengue

IgM positivity was found to be 8.99%. The positive dengue cases were higher in male

(10.8%) as compared to female (7.1%) though it was no statistically significant(P>0.05).

Among different age groups, the highest positive cases (12.3%) were from age group

below 15 years followed by above 50 years age group with 8.3%. Out of 5 hospitals, the

highest positive cases were in Tanahu District Hospital, Damouli (23.8%) followed by

Bharatpur Hospital, Chitwan (22.2%). Age and gender were found to be independent

predictors. The highest numbers of dengue positive cases were in occupation group

business (13.3%) followed by agriculture (12.7%). So prevalence of Dengue Virus

infection is increasing and proper control measure should be provided.

Key words: Dengue fever, IgM Capture ELISA, RT-PCR, Terai region.

νi

TABLE OF CONTENTS

Title Page	i
Recommendations	ii
Certificate of Approval	iii
Board of Examiners	iv
Acknowledgement	v
Abstract	vi
Table of Contents	vii-ix
List of Abbreviations	X
List of Tables	xi
List of Figures	xi
List of Appendices	xiv
CHAPTER I: INTRODUCTION	1-3
CHAPTER II: OBJECTIVES	4
2.1 General Objective	4
2.2 Specific Objectives	4
CHAPTER III: LITERATURE REVIEW	5-37
3.1 Epidemiology of Dengue	5
3.1.1 Molecular Epidemiology	6
3.1.2 Sero-epidemiology	7
3.1.3 Transmission of Dengue Virus	9
3.1.4 Dengue Virus	10
3.1.5 Vector	13
3.1.6 Host	14
3.2 Dengue Burden: The Global Scenario	14
3.2.1 Dengue Situation in Nepal	14
3.2.2 Dengue Situation in SEARO	15
3.2.3 Dengue Situation in Americas	15
3.2.4 Dengue Situation in Africa	16

3.3 Clinical Diagnosis of Dengue	16
3.3.1 Severe Dengue	16
3.3.2 Grading the Severity of Dengue Infection	16
3.4 Pathogenesis of DHF	17
3.4.1 Immune Response	20
3.5 Treatment	22
3.6 Prevention and Control	22
3.7 Clinical Diagnosis of Dengue	24
3.7.1 Clinical Symptoms	24
3.8 Laboratory Diagnosis of Dengue	25
3.8.1 Virus Isolation	26
3.8.1.1 Suckling Mice	26
3.8.1.2 Mosquito Inoculation	27
3.8.1.3 Mosquito Cell Cultures	27
3.8.2 Detection of Anti-dengue Antibody	28
3.8.2.1 Hemagglutination Inhibition (HI)	28
3.8.2.2 Particle Agglutination (PA)	28
3.8.2.3 Neutralization Test (NT)	29
3.8.2.4 Microneutralization Assay (MA)	29
3.8.2.5 Complement Fixation Test (CFT)	30
3.8.2.6 Enzyme-linked Immunosorbent Assay (ELISA)	30
3.8.2.7 Dot-blot Immunoassay	31
3.8.2.8 Rapid Immunochromatographic Test	32
3.8.3 Detection of Antigens	32
3.8.4 Molecular Techniques	33
3.8.4.1 Polymerase Chain Reaction (PCR)	33
3.8.4.2 Real Time RT-PCR	35
3.8.4.3 Typing of Dengue Virus	35
3.8.4.4 Hybridization Probes	36
3.8.4.5 Loop Mediated Isothermal Amplification (LAMP)	36
3.8.4.6 Immunohistochemistry Method	37

CHAPTER IV: MATERIALS AND METHODS	38-42
4.1 Materials	38
4.2 Methods	38
4.2.1 Case Inclusion Criteria	38
4.2.2 Informed Consent	38
4.2.3 Sample Collection, Storage and Transport	38
4.2.4 Laboratory Tests	40
4.2.4.1 Detection of Anti-dengue IgM-Capture ELISA	40
4.2.5 Interpretation of the Result	41
4.2.6 Statistical Analysis	42
CHAPTER V: RESULTS	44-47
CHAPTER VI: DISCUSSION AND CONCLUSION	48-52
6.1 Discussion	48
6.2 Conclusion	52
CHAPTER VII: SUMMARY AND RECOMMENDATION	53
7.1 Summary	53
7.2 Recommendation	53
REFERENCES	54-64
APPENDICES	I- ix

LIST OF TABLES

Table 1:	Occupation wise distribution of suspected dengue cases
Table 2:	Diagnostic test wise distribution of positive DV cases
Table 3:	Sex wise distribution of positive DV cases
Table 4:	Age wise distribution of positive DV cases
Table 5:	Hospital wise distribution of positive DV cases
Table 6:	Occupation wise distribution of positive DV cases

LIST OF FIGURES

Figure 1:	Mature proteins generated by proteolytic processing cascade
Figure 2:	Comparision of diagnostic tests according to their accessibility and confidence
Figure 3:	Site of sample collection in different district of Nepal
Figure 4:	Sex wise distribution of suspected dengue cases
Figure 5:	Age wise distribution of suspected dengue cases
Figure 6:	Hospital wise distribution of suspected dengue cases

LIST OF PHOTOGRAPHS

Photograph 1: Microtiter wells after addition of stop solution(ELISA)

LIST OF APPENDICES

APPENDIX-I: Materials

APPENDIX-II: Reagents preparation

APPENDIX-III: Grading the severity of dengue infection

APPENDIX-IV: Summary of characteristics of dengue diagnostic methods

APPENDIX-V: Countries/areas at risk of dengue transmission, 2008

APPENDIX-VI: Dengue case details and Lab form

APPENDIX -VII: SD Dengue IgM Capture ELISA

LIST OF ABBREVIATIONS

ADE: Antibody-dependent enhancement

cDNA: Complementary DNA

CFT: Complement Fixation Test

DEN (-1, -2, -3 & -4): Dengue (-1, -2, -3 & -4)

DF: Dengue Fever

DHF: Dengue Hemorrhagic Fever

DNA: Deoxyribonucleic Acid

DSS: Dengue Shock Syndrome

DV: Dengue Virus

DVI: Dengue Virus Infection

ELISA: Enzyme Linked Immunosorbent Assay

HI: Hemagglutination Inhibition

HRP: Horse reddish peroxidase

IFA: Immunofluorescence Assay

IFN-: Interferon-

MA: Microneutralization Assay

MAb: Monoclonal Antibody

NT: Neutralization Test

ORF: Open Reading Frame

PA: Particle Agglutination

PAHO: Pan American Health Organization

PCR: Polymerase Chain Reaction

PRNT: Plaque reduction and neutralization test

RNA: Ribonucleic Acid

RT-PCR: Reverse Transcriptase PCR

SEARO: South East Asian Regional Office

TAE: Tris-acetate-EDTA

TMB: Tetramethylbenzidine